1. District Number, Reporting District must be numeric, in the range 01-69, 71-75, or 78-79 and must be correct for the district submitting the data. -record rejected-

## **EXAMPLE**

If district 01 is submitting records, District Number, Reporting District must be 01 for all records. In the records listed below, the first two records would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the District Number, Reporting District is 02 rather than 01 (the number of the district submitting the record). The fourth record would be rejected because the District Number, Reporting District is not in the valid range of numbers.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier
01	0271	A0000001
01	0271	A0000002
* 02	0271	D0000003
* 99	0271	AA000004

#### DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the data base, the district must correct the District Number, Reporting District and resubmit the records.

2. School Number, Where Incident Occurred must be numeric in the range 0001 - 9899. -record rejected-

#### **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the School Number, Where Incident Occurred is not in the appropriate numerical range. The fourth record would be rejected because the School Number, Where Incident Occurred is not numeric.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier
01	0271	AA000001
01	0271	BB000002
* 01	9999	CC000003
* 01	C901	DD000004

#### DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the data base, the district must correct the School Number, Where Incident Occurred and resubmit the records.

3. School Number, Where Incident Occurred must exist on the Master School Identification File as a valid active school in the District Number, Reporting District. -record rejected-

#### **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the School Number, Where Incident Occurred is not a valid active school number for this reporting district.

Occurred	Incident, Identifier
0271 0271 0062	00000C61 00000AA2 00000C24
	0271

#### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the School Number, Where Incident Occurred and resubmit the record.

4. Survey Period Code must be 2, 3, 4 or 5 and must be correct for the submission specified by the district. -record rejected-

#### **EXAMPLE**

The survey period as specified in the transmission JCL or in statements for tape transmission is identified as Survey Period "5". However, records on the transmission have a Survey Period Code "2". All updates, adds or deletes with this inconsistency will be rejected.

### **DISTRICT RESPONSIBILITY**

The district must correct the Survey Period Code either on the records coming in or the transmission JCL and all records must be resubmitted.

5. School Year must be correct for the submission submitted by the District. -record rejected-

#### **EXAMPLE**

The School Year as specified in the transmission JCL or in statements for tape transmission is identified as the valid year for data submission. However, records on the transmission have the previous School Year coded. All updates, adds or deletes with this inconsistency will be rejected.

#### DISTRICT RESPONSIBILITY

The district must correct the School Year either on the records coming in or the transmission JCL and all records must be resubmitted.

6. Incident, Identifier must be alphanumeric, may not be zero, and must not contain blanks. -record rejected-

#### **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because Incident Identifier contains a blank.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier
01	0271	00000062
01 * 01	0271 0271	00000016 000 C013

#### **DISTRICT RESPONSIBILITY**

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct Incident, Identifier and resubmit the record.

7. Incident, Date must be numeric, must be a valid date, in the range of 07/01/\*\*\* to 08/31/\*\*\* and not greater than the last day of the survey period. - record rejected-

## **EXAMPLE**

The first record listed below would be loaded to the data base assuming no other reject rule would cause its rejection. The second record would be rejected because the Incident, Date is greater than the last day of the survey period. The third record would be rejected because Incident, Date is not a valid date.

District Number, Reporting District	Survey Period code	School Number, where Incident Occurred	Incident, Identifier	Incident, Date
01	03	0271	A0000001	0122****
* 01	03	0271	X0000002	0308****
* 01	03	0271	D0000003	0230****

<sup>\*\*\*\* =</sup> Valid year for data submission.

#### DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the data base, the district must correct the Incident, Date and resubmit the records.

## 8. Incident, Location must be 1, 2 or 3. -record rejected-

## **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because Incident, Location is not a valid code.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Location
48	0931	W000001	1
48	0931	A0000002	2
* 48	0931	S0000003	5

#### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Location and resubmit the record.

9. Incident, Type must be a valid code as listed in Appendix P of the <u>DOE</u> <u>Information Data Base Requirements: Volume 1--Automated Student Information</u> <u>System</u> Manual. -record rejected-

## **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because Incident, Type is not a valid code.

District Number, Reporting District	School Number Where Incident Occurred	Incident , Identifier	Incident, Type	Incident, Date
13	6071	C0000001	ALC	1211****
13	6071	A0000002	ARS	1005****
* 13	6071	S0000003	FRM	1024****

<sup>\*\*\*\* =</sup> Valid fiscal year for data submission.

#### **DISTRICT RESPONSIBILITY**

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Type and resubmit the record.

## 10. Incident, Involvement Type code must be S, N, B, or U. -record rejected-

## **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Involvement Type is not a valid code.

	School Number,		Incident,
District Number,	Where Incident	Incident,	Involvement
Reporting District	Occurred	Identifier	Type
01	0271	H0000001	S
01	0271	S0000002	Ν
* 01	0271	W000003	Z

#### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Involvement Type code and resubmit the record.

# 11. Incident, Reported to Law Enforcement code must be Y or N. -record rejected-

#### **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Reported to Law Enforcement code is not a valid code.

School Number, Where Incident Occurred	Incident, Identifier	Incident, Reported to Law Enforcement
0271	VT000001	Υ
0271	AR000002	N
0271	BE000003	Z
	Where Incident Occurred 0271 0271	Where Incident Occurred Incident, Identifier  0271 VT000001 0271 AR000002

### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Reported to Law Enforcement code and resubmit the record.

## 12. Incident, Gang-Related code must be Y or N. -record rejected-

## **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Gang-Related code is not a valid code.

District Number,	School Number, Where Incident	Incident,	Incident, Gang-
Reporting District	Occurred 0271	Identifier AR000001	Related
01	0271	FA000001	r N
* 01	0271	SH000003	Z

#### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Gang-Related code and resubmit the record.

## 13. Incident, Alcohol-Related code must be Y or N. -record rejected-

## **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Alcohol-Related code is not a valid code.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Alcohol- Related
01	0271	00000AS1	Υ
01	0271	00000FA2	N
* 01	0271	00000WP3	Z

#### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Alcohol-Related code and resubmit the record.

# 14. Incident, Drug-Related code must be Y or N. -record rejected-

## **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Drug-Related code is not a valid code.

	School Number,		Incident,
District Number,	Where Incident	Incident,	Drug-
Reporting District	Occurred	Identifier	Related
01	0271	00000S61	Υ
01	0271	0000SA42	N
* 01	0271	00000BA3	Z

#### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Drug-Related code and resubmit the record.

## 15. Incident, Hate Crime-Related code must be Y or N. -record rejected-

## **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Hate Crime-Related code is not a valid code.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Hate Crime- Related
01	0271	DO000001	Υ
01	0271	SB000002	N
* 01	0271	WP000003	Z

### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Hate Crime-Related code and resubmit the record.

# 16. Incident, Weapon-Related code must be 1, 2 or N. -record rejected-

## **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Weapon-Related code is not a valid code.

	School Number,		Incident,
District Number,	Where Incident	Incident,	Weapon-
Reporting District	Occurred	Identifier	Related
01	0271	FA000001	2
01	0271	DC000002	N
* 01	0271	DC000003	Z

#### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Weapon-Related code and resubmit the record.

# 17. Weapon, Description code must be F, H, K, O, R, U, or Z. -record rejected-

## **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Weapon, Description code is not a valid code.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Weapon, Description
01	0271	00000AR1	F
01	0271	00000BT2	Z
* 01	0271	00000SB3	G

#### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Weapon, Description code and resubmit the record.

## 18. Incident, Context code must be 1, 2 or 3. -record rejected-

## **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Context code is not a valid code.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Context
01	0271	VT000001	2
01	0271	VA000002	1
* 01	0271	BE000003	V

### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Context code and resubmit the record.

19. If Incident, Weapon-Related code is 1 or 2, then Weapon, Description code must be F, H, K, O, R, or U. -record rejected-

#### **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Weapon-Related code is 2 and Weapon, Description is not one of the codes F, H, K, O, R or U.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Weapon- Related	Weapon, Description
01	0271	AS000001	1	F
01	0271	DO000002	2	K
* 01	0271	SH000003	2	Z

#### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the relationship between Incident, Weapon-Related code and Weapon, Description and resubmit the record.

20. The Transaction Code must be A, C or D. For the original transmission, only A is valid. For subsequent batch/update submissions, if A is specified then the record must not already exist on the data base; if C or D is specified then the record must exist on the data base. -record rejected-

#### **EXAMPLE**

For all original transmissions, the Transaction Code must be "A". An original transaction is the first submission of a record during a survey period. After original transmission of records, changes to the record for elements other than the key elements must be done with a "C" as the Transaction Code. To delete a record, the Transaction Code must be a "D". To change key elements in a batch transaction, the records must FIRST be deleted with a "D" and then added with an "A". Records with an incorrect Transaction Code would be rejected.

#### DISTRICT RESPONSIBILITY

If the rejected records should not have been submitted, no action is required. However, if the district wishes the data in the rejected records to be loaded to the data base, the district must correct the Transaction Code and resubmit the records.

21. Each School Environmental Safety Incident Report record must be unique based on District Number, Reporting District; School Number, Where Incident Occurred; Survey Period Code; School Year; and Incident, Identifier. -first record accepted, all other duplicate records rejected-

#### **EXAMPLE**

The first, second, third and fourth records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The fifth record would be rejected because it is a duplicate of the second record.

District Number, Reporting District	School Number, Where Incident Occurred	Survey Period Code	School Year	Incident, Identifier
29	2841	5	***	00000001
29	2841	5	****	00000002
29	2841	5	****	00000003
29	2841	5	****	00000004
* 29	2841	5	****	00000002

<sup>\*\*\*\* =</sup> Valid fiscal year for data submission.

#### DISTRICT RESPONSIBILITY

If the record that was accepted and loaded to the data base is the correct one, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must delete any invalid records, correct the rejected record if necessary, and resubmit the corrected record.

22. If Incident, Type code is WPO, then Weapon, Description code must be F, H, K, O, R, or U. -record rejected-

#### **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Type is WPO and Weapon, Description is not one of the codes F, H, K, O, R, or U.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Type	Weapon, Description
01	0271	AS000001	WPO	F
01	0271	DO000002	BAT	Z
* 01	0271	SH000003	WPO	Z

#### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the relationship between Incident, Type and Weapon, Description and resubmit the record.

# 23. If Incident, Type code is WPO, then Incident, Weapon-Related code must be 1 or 2. -record rejected-

#### **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Type is WPO and Incident, Weapon-Related is not coded 1 or 2.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Type	Incident, Weapon- Related
01	0271	AS000001	WPO	2
01	0271	DO000002	WPO	1
* 01	0271	SH000003	WPO	N

#### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the relationship between Incident, Type and Incident, Weapon-Related and resubmit the record.

# 24. If Incident, Type code is ALC, then Incident, Alcohol-Related code must be Y. -record rejected-

#### **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Type is ALC and Incident, Alcohol-Related is not coded Y.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Type	Incident, Alcohol- Related
01	0271	AS000001	ALC	Υ
01	0271	DO000002	ALC	Υ
* 01	0271	SH000003	ALC	N

#### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the relationship between Incident, Type and Incident, Alcohol-Related and resubmit the record.

.

# 25. If Incident, Type code is equal to DRD or DRU, then Incident, Drug-Related code must be Y. -record rejected-

#### **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Type is DRG and Incident, Drug-Related is not coded Y.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Type	Incident, Drug- Related
01	0271	AS000001	DRD	Υ
01	0271	DO000002	DRU	Υ
* 01	0271	SH000003	DRU	N

#### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the relationship between Incident, Type and Incident, Drug-Related and resubmit the record.

26. If Weapon, Description code is F, H, K, O, R, or U, then Incident, Weapon-Related code must be 1 or 2. -record rejected-

#### **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Weapon Description code is R but the Incident, Weapon-Related code is not 1 or 2.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Weapon- Related	Weapon, Description
01	0271	AS000001	1	F
01	0271	DO000002	1	K
* 01	0271	SH000003	N	R

#### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the relationship between Incident, Weapon-Related code and Weapon, Description and resubmit the record.

## 27. Drug Description code must be M, O or Z. -record rejected-

## **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Drug Description code is not a valid code.

School Number, Where Incident Occurred	Incident, Identifier	Drug, Description
0271	00000AR1	М
0271	00000BT2	Z
0271	00000SB3	G
	Occurred 0271 0271	Where Incident Occurred Incident, Identifier  0271 00000AR1 0271 00000BT2

### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Drug Description code and resubmit the record.

# 29. If Drug Description code is M or O, then Incident, Drug-Related code must be Y. -record rejected-

#### **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Drug Description code is M but the Incident, Drug-Related code is not Y.

District	School			
Number,	Number,		Incident,	
Reporting	Where Incident	Incident,	Drug-	Drug,
District	Occurred	Identifier	Related	Description
01	0271	AS000001	Y	M
01	0271	DO000002	Υ	Ο
* 01	0271	SH000003	N	M

#### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the relationship between Incident, Drug-Related code and Drug Description and resubmit the record.

# 30. If Incident, Type code is DRD or DRU, then Drug Description code must be M or O. -record rejected-

#### **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Type is DRU and the Drug Description code is not M or O.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Type	Drug Description
01	0271	AS000001	DRU	М
01	0271	DO000002	DRD	0
* 01	0271	SH000003	DRU	Z

## DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the relationship between Incident, Type and Drug Description and resubmit the record.

## 31. Incident, Bullying-Related code must be Y or N. -record rejected-

## **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Bullying-Related code is not a valid code.

	School Number,		Incident,
District Number,	Where Incident	Incident,	Bullying-
Reporting District	Occurred	Identifier	Related
01	0271	AR000001	Υ
01	0271	FA000002	N
* 01	0271	SH000003	Z

#### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Incident, Bullying-Related code and resubmit the record.

# 33. If Incident, Drug-Related code is Y, then Drug Description code must be M or O. -record rejected-

#### **EXAMPLE**

The first two records listed below would be loaded to the data base assuming no other reject rule would cause their rejection. The third record would be rejected because the Incident, Drug-Related code is Y and the Drug Description code is Z.

District Number, Reporting District	School Number, Where Incident Occurred	Incident, Identifier	Incident, Drug- Related	Drug, Description
01	0271	AS000001	Υ	М
01	0271	DO000002	Υ	0
* 01	0271	SH000003	Υ	Z

#### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the relationship between Incident, Drug-Related code and Drug Description and resubmit the record.

34. Deleted 7/2/07. The Student Number Identifier, Local may be any combination of letters, numbers and blanks. (All blanks are allowable.) -record rejected-

#### **EXAMPLE**

The first three records listed below would be loaded to the data base assuming no other edit would cause their rejection. The fourth record would be rejected because the Student Number Identifier, Local contains a symbol (@).

District	Student
Number,	Number
Current	<del>Identifier,</del>
Enrollment	<del>Loca</del> l
<del>01</del>	0123456789
<del>01</del>	ABC123DEF9
<del>01</del>	3001 28K
<del>* 01</del>	<del>2121@xyz</del>

#### **DISTRICT RESPONSIBILITY**

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Student Number Identifier, Local and resubmit the record.

35. Deleted 7/2/07. The Student Number Identifier, Local must not be identical to the Student Number Identifier, Florida. -record rejected-

#### **EXAMPLE**

The first record listed below would be loaded to the data base assuming no other edit would cause its rejection. The second record would be rejected because the Student Number Identifier, Local is the same as the Student Number Identifier, Florida.

District	<b>Student</b>	<b>Student</b>
Number,	Number	Number
Current	<b>Identifier</b>	<del>ldentifier,</del>
Enrollment	<del>Florida</del>	Local
<del>01</del>	<del>123456789X</del>	A000012539
<del>* 01</del>	0123456789	0123456789

#### DISTRICT RESPONSIBILITY

If the rejected record should not have been submitted, no action is required. However, if the district wishes the data in the rejected record to be loaded to the data base, the district must correct the Student Number Identifier, Local or the Student Number Identifier, Florida and resubmit the record.

#### SCHOOL ENVIRONMENTAL SAFETY INCIDENT REPORT – VALIDATION EDITS

60. For each School Environmental Safety Incident Report record with an Incident, Involvement Type of S or B there must be at least one matching Student Discipline/Referral Action record with a matching Incident Identifier and Incident Date. -state validation

#### **EXAMPLE**

The School Environmental Safety Incident Report record listed below which is marked with an asterisk would fail the edit above because it does not have a matching Student Discipline Referral Action record.

School Environmental Safety Incident Report Records

District Number,	School Number, Where	Incident,			Survey
Reporting District	Incident Occurred	Involvement Type	Incident, Identifier	Incident, Date	Period Code
01	01	S	C0000001	1211****	5
01	01	S	A0000002	1106****	5
* 01	01	S	S0000003	1022****	5

## Student Discipline Referral Action Records

District	School	Student			
Number,	Number,	Number			Survey
Current/	Current	Identifier,	Incident,	Incident,	Period
Enrollment	Enrollment	Florida	Identifier	Date	Code
01	0021	019876544X	C0000001	1211****	5
01	0021	019876545X	A0000002	1106****	5
01	0021	019876546X	S0000003	1024****	5

<sup>\*\*\*\* =</sup> Valid fiscal year for data submission.

### DISTRICT RESPONSIBILITY

If the School Environmental Safety Incident Report record is valid, the district must submit the matching Student Discipline/Referral Action record. If the School Environmental Safety Incident Report record is invalid, the district must correct the invalid elements.

## SCHOOL ENVIRONMENTAL SAFETY INCIDENT REPORT - VALIDATION EDITS

/Referral Action format is Y, then the Drug Description code must be M or O. The records match is done using the District Number, Current Enrollment on the Student Discipline/Referral Action format matched to the District Number, Reporting District on the SESIR format along with matching School Year, Survey Period Code and Incident, Identifier. —state validation-

#### **EXAMPLE**

The first and third records listed below would meet the criteria specified in the edit above. The second record would cause a message to be generated because the Drug Description code is incorrect for the Student, Use of Drugs code reported.

## Student Discipline/Referral Action Format

			Student,
District Number,	Student Number	Incident,	Use of
Current Enrollment	Identifier, Florida	Identifier	Drugs
36	12345678X	0000001	Υ
*36	22345678X	00000002	Υ
36	47654321X	0000003	Υ

## School Environmental Safety Incident Report (SESIR) Format

District Number,	Incident,	Drug
Reporting District	Identifier	Description
36	0000001	M
*36	00000002	Z
36	0000003	M

#### DISTRICT RESPONSIBILITY

The district should verify the Student, Use of Drugs code and the Drug Description code and correct the code that is in error.

## SCHOOL ENVIRONMENTAL SAFETY INCIDENT REPORT - VALIDATION EDITS

62. If there is a matching Disciplinary/Referral Action record, then the Disciplinary/Referral Action Code on the matching record must not equal C. The match should be based on District Number, Current Enrollment on the Student Discipline/Referral Action format matched to the District Number, Reporting District on the SESIR format along with matching School Year, Survey Period Code and Incident, Identifier. –state validation -

#### **EXAMPLE**

The first and third records listed below would meet the criteria specified in the edit above. The second record would cause a message to be generated because the matching Student discipline/Referral Action record has a Disciplinary/Referral Action Code of C.

School Environmental Safety Incident Report (SESIR) Format

District Number,	Incident,
Reporting District	Identifier
36	0000001
*36	00000002
36	0000003

Student Discipline/Referral Action Format

			Disciplinary/
District Number,	Student Number	Incident,	Referral Action
,	Student Number	Use of Drugs	Disciplinary
Current Enrollment	Identifier, Florida	Identifier	Code
36	12345678X	0000001	0
*36	22345678X	00000002	С
36	47654321X	0000003	Р

### DISTRICT RESPONSIBILITY

The district must correct the Disciplinary/Referral Action Code on the Student Discipline/Referral Action record or delete the School Environmental Safety Incident Report record if it was submitted in error.

# SCHOOL ENVIRONMENTAL SAFETY INCIDENT REPORT – AGGREGATE VALIDATION EDITS

80. For each active school on the Master School Identification (MSID) file for the district, if the MSID School Type = 02 - 04 the number of School Environmental Safety Incident Report (SESIR) records must be greater than zero. -aggregate validation edit-

Note: An error message will be printed on the validation report for schools that do not meet the aggregate validation edit above.

#### **EXAMPLE**

School 0035 is a grade 9-12 school with a School Type of 03 (Senior High) on the MSID file. There are no SESIR records for this school on the Student Database SESIR table.

An aggregate edit error message is generated for school 0035 on the validation report indicating that the school failed this aggregate validation edit.

## **DISTRICT RESPONSIBILITY**

The district must submit School Environmental Safety Incident Report records for this school.

# SCHOOL ENVIRONMENTAL SAFETY INCIDENT REPORT –EXCEPTION REPORTS

90. If Incident, Type = WPO and if a matching Student Discipline/Referral Action record exists, based on Incident, Identifier and Incident, Date, then one of the Disciplinary/Referral Action codes on the Student Discipline/Referral Action format must be E, F, P, H or U. –exception report-

### **EXAMPLE**

The School Environmental Safety Incident Report record listed below which is marked with an asterisk would cause an error message to be generated because the Disciplinary/Referral Action code does not equal E, F, P, H or U.

School Environmental Safety Incident Report Records

District Number,	School Number, Where			
Reporting	Incident	Incident,	Incident,	Incident,
District	Occurred	Identifier	Туре	Date
01	0021	C0000001	WPO	12062004
01	0021	A000002	VAN	11142004
* 01	0021	S0000003	WPO	11082004

Student Discipline Referral Action Records

District Number, Instruction/ Enrollment	School Number, Current Enrollment	Disciplinary/ Referral Action Code	Incident, Identifier	Incident, Date
01	0021	E	C0000001	12062004
01	0021	1	A0000002	11142004
01	0021	0	S0000003	11082004

### **DISTRICT RESPONSIBILITY**

The district should verify the Incident, Type on the SESIR record and Disciplinary/Referral Action code on the Student Discipline/Referral Action format and correct the codes if they are in error.

# SCHOOL ENVIRONMENTAL SAFETY INCIDENT REPORT –EXCEPTION REPORTS

91. For each school (School Number, Where Incident Occurred) on the School Environmental Safety Incident Report (SESIR) table, the number of SESIR records with Incident, Involvement Type = U (Unknown) must be 10 percent or less of the total SESIR records for the school. –exception report-

Note: The following information will be listed on the exception report for schools that do not meet the exception edit above:

- District Number, Reporting District
- School Number, Where Incident Occurred
- Total number of SESIR records
- Number of records with Incident, Involvement Type = U
- Percent of records with Incident, Involvement Type = U.

#### **EXAMPLE**

School 0021 has 56 total SESIR records. Fourteen (25 percent) of these records have an Involvement Type of U (Unknown). An error message is generated for School 0021 on the exception report indicating that the school failed this exception edit.

#### **DISTRICT RESPONSIBILITY**

The district must review the records to determine whether code U was used appropriately. The must correct the Involvement, Type on the School Environmental Safety Incident Report records that are in error. If no records are in error, no action is necessary.